

Speedware

MIDSPWR - schwarz



ACTEVA

Debris Free
CONSTRUCTION

41 TREAD

Toe Protect

HEAT
RESISTANCE

Comfort While You Work

Speedware

MIDSPWR - grau / orange



ACTEVA

Debris Free
CONSTRUCTION

4T TREAD

Toe Protect

HEAT
RESISTANCE

Comfort While You Work

Speedware

MIDSPWR - olive / weiß



ACTEVA

Debris Free
CONSTRUCTION

41 TREAD

Toe Protect

HEAT
RESISTANCE

Comfort While You Work



Speedware

MIDSPWR

GRÖSSEN

40-46,5, 47,5, 49 (2E)

NORMEN

EN ISO 20345:2011, S1 P SRC

MERKMALE

- ➞ Durchstichhemmend
- ➞ Flughafengerecht
- ➞ Rutschfeste Laufsohle
- ➞ Zugschlaufe
- ➞ Zehenkappe aus Fiberglas
- ➞ NB Komfort-Einlage
- ➞ Fersenstütze

Speedware ist das Nonplusultra unter den leichten, komfortablen Sicherheitsschuhen. Ausgestattet mit der New Balance ACTEVA Performance-Zwischensohlentechologie in Verbindung mit der NB Komfort-Einlage bietet er die ideale Mischung aus Unterstützung, Dämpfung und Flexibilität. Die Laufsohle mit AT TREAD Profil bietet das höchste Maß an Rutschfestigkeit. Der Speedware wurde für aktive Anwender entwickelt, die unter verschiedensten Bedingungen im Innen- und Außenbereich arbeiten.



GRÖßENTABELLE

GRÖßENRATGEBER				
US Herren	US Damen	UK	EU	Länge in cm
4	5,5	3,5	36	22
4,5	6	4	37	22,5
5	6,5	4,5	37,5	23
5,5	7	5	38	23,5
6	7,5	5,5	38,5	24
6,5	8	6	39,5	24,5
7	8,5	6,5	40	25
7,5	9	7	40,5	25,5
8	9,5	7,5	41,5	26
8,5	10	8	42	26,5
9	10,5	8,5	42,5	27
9,5	11	9	43	27,5
10	11,5	9,5	44	28
10,5	12	10	44,5	28,5
11	12,5	10,5	45	29
11,5	13	11	45,5	29,5
12	13,5	11,5	46,5	30
12,5	14	12	47	30,5
13	15	12,5	47,5	31
14	-	13,5	49	32
15	-	14,5	50	33
16	-	15,5	51	34
17	-	16,5	52	35
18	-	17,5	53	36
19	-	18,5	54	37
20	-	19,5	55	38

WEITENTABELLE				
US Herren Standard	Schmal (B) in cm	Medium (D) in cm	Breit (2E) in cm	Extraweit (4E) in cm
6	9,3	9,7	10,1	10,4
6,5	9,5	9,8	10,2	10,5
7	9,6	9,9	10,3	10,6
7,5	9,7	10,0	10,4	10,7
8	9,8	10,1	10,5	10,8
8,5	9,9	10,2	10,6	10,9
9	10,0	10,4	10,7	11,0
9,5	10,1	10,5	10,8	11,1
10	10,2	10,6	10,9	11,3
10,5	10,3	10,7	11	11,4
11	10,4	10,8	11,1	11,5
11,5	10,5	10,9	11,3	11,6
12	10,6	11,0	11,4	11,7
12,5	10,7	11,1	11,5	11,8
13	10,8	11,2	11,6	11,9
13,5	10,9	11,3	11,7	12,0
14	11	11,4	11,8	12,1
14,5	11,1	11,5	11,9	12,2
15	11,3	11,6	12	12,3
15,5	11,4	11,7	12,1	12,4
16	11,5	11,8	12,2	12,5